

Job References of RED Consultants Limited

The wind tunnel test projects conducted by the RED Consultants Limited are listed as follows:

- Wind load and wind pressure studies for MGM Grand Hotel Development and Residential Development at Nape, Macau SAR
Client: Shun Tak Holdings Limited and HongKong Land Limited via Siu Yin Wai & Associates Limited
- Pedestrian level wind comfort study for TVB City at Tseung Kwan O, Hong Kong SAR
Client: Television Broadcasts Limited
- Wind dispersion study for emission of pollutants from Sludge Treatment Facility at Lung Kwu Tan, Tuen Mun, Hong Kong SAR
Client: EPD via Metcalf and Eddy Limited
- Wind load study for Cotai Resort, Parcel 3 Development, Macau SAR
Client: Far East Consortium International Limited via Siu Yin Wai & Associates Limited
- Wind load study for URA Residential/Commercial Development at 373 Po On Road, Hong Kong SAR
Client: Sun Hung Kai Properties Limited via Ho & Lam Consulting Engineers Limited
- Wind load study for Cyberport Residential Development – Stage 12 (RV) , Hong Kong SAR
Client: Pacific Century Premium Developments Limited via Siu Yin Wai & Associates Limited
- Wind load and wind pressure studies for Re-Development of Lai Sing Court, Tai Hang, Hong Kong SAR
Client: HongKong Land Limited via Siu Yin Wai & Associates Limited
- Wind load study for Residential Development at 1 Wo Fung Street, Sheung Wan, Hong Kong SAR
Client: Pacific Century Premium Developments Limited via Ho & Lam Consulting Engineers Limited
- Wind load, wind pressure and pedestrian level wind comfort studies for Redevelopment of Hennessy Centre, Causeway Bay, Hong Kong SAR
Client: Hysan Development Company Limited via Dennis Lau & Ng Chun Man Architects & Engineers (H.K.) Limited and Meinhardt Consulting Engineers Limited

- Wind load study for Alterations and Additions of Park Lane Hotel, Causeway Bay, Hong Kong SAR
Client: Ho & Lam Consulting Engineers Limited
- Wind load study for Residential Development at Lot ‘V’ Rua Central DA Areia Preta, Macau SAR
Client: Polytex Corporation Limited
- Wind pressure study for Alterations & Additions of Hong Kong International Trade and Exhibition Centre (HITEC), Kowloon Bay, Hong Kong SAR
Client: Hopewell Holdings Limited via WMKY Limited
- Pedestrian level wind comfort study for Galaxy Resort and Casino at Cotai, Macau SAR
Client: Galaxy Entertainment Group Limited via Meinhardt Consulting Engineers Limited
- Wind load study for Commercial Development at 4 Lai Yip Street, Kwun Tong, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Residential Development at 16-34 Wood Road, Wan Chai, Hong Kong SAR
Client: AIG and Lai Sun Development Company Limited via Meinhardt Consulting Engineers Limited
- Wind load, wind pressure and pedestrian level wind comfort studies for Macao Studio City, Cotai, Macau SAR
Client: Lai Sun Development Company Limited via Siu Yin Wai & Associates Limited
- Wind load study for Hotel Development at 239-251 Queen’s Road West, Sai Wan, Hong Kong SAR
Client: Shun Ho Real Estate Limited via Andrew Lee King Fun & Associates Architects Limited
- Wind load study for Hotel Development at 30-40 Bowrington Road, Hong Kong SAR
Client: Shun Ho Real Estate Limited via Andrew Lee King Fun & Associates Architects Limited and Kenneth K.C. Chan & Associates Consulting Engineers
- Wind load study for Industrial Development at 52-58 Sha Tsui Road, Tsuen Wan, Hong Kong SAR
Client: Chun Sing Engineering Company Limited

- Wind load study for Property Development at KCRC West Rail, Tuen Mun Station, Hong Kong SAR
Client: Sun Hung Kai Properties Limited via Ove Arup and Partners Hong Kong Limited
- Wind load study for URA Development at Larch Street & Fir Street, Tai Kok Tsui, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind pressure study for TVB City at Tseung Kwan O, Hong Kong SAR
Client: Television Broadcasts Limited
- Wind load and wind pressure studies for Residential Development at 157 Argyle Street, Hong Kong SAR
Client: USI Properties Limited via Meinhardt Consulting Engineers Limited
- Wind load study for Mixed Development at Tseung Kwan O Town Area 56, Hong Kong SAR
Client: Sun Hung Kai Properties Limited via Wong Pak Lam & Associates Consulting Engineers & Architects Limited
- Wind load study for Residential Development at 24-32 Ming Yuen Western Street, North Point, Hong Kong SAR
Client: Kowloon Development Company Limited via Wong & Cheng Consulting Engineers Limited
- Environmental wind tunnel studies for Centennial Campus of the University of Hong Kong, Hong Kong SAR
Client: The University of Hong Kong via Wong & Ouyang (HK) Limited
- Wind load study for Residential Development at 424 Chatham Road North, Hung Hom, Hong Kong SAR
Client: Sun Hung Kai Properties Limited via Siu Yin Wai & Associates Limited
- Wind load study for Residential Development at 311-339 Shau Kei Wan Road, Shau Kei Wan, Hong Kong SAR
Client: Hong Kong Housing Society via Greg Wong & Associates
- Wind load study for Residential Development at 4 Monmouth Terrace, Kennedy Road, Wan Chai, Hong Kong SAR
Client: Tai Hung Fai Enterprise Co. Limited via Wong Pak Lam & Associates Consulting Engineers & Architects Limited

- Wind load study for Hotel Development at 388-390 Jaffe Road and Residential Development at 210-216 Gloucester Road, Wan Chai, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 70-72 Staunton Street, Central, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Industrial Development at 59-63 Wing Hong Street, Cheung Sha Wan, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Composite Development at 45-47 Pottinger Street, Hong Kong SAR
Client: Henderson Real Estate Agency Limited via AECOM
- Wind load study for Redevelopment of Lower Ngau Tau Kok Estate - Phase 1, Hong Kong SAR
Client: Hong Kong Housing Authority via Jacobs China Limited
- Wind load and wind pressure studies for Residential Development at Hoi Fai Road, Kowloon, Hong Kong SAR
Client: Sun Hung Kai Properties Limited via Ove Arup and Partners Hong Kong Limited
- Wind load study for Industrial Development at 20 Wong Chuk Hang Road, Hong Kong
Client: Casey Company Limited via Andrew Lee King Fun & Associates Architects Limited and Meinhardt Consulting Engineers Limited
- Wind load study for Residential Development at 295-305 Shau Kei Wan Road, Shau Kei Wan, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Hotel Development at 43-63 Tai Yuen Street, Wanchai, Hong Kong SAR
Client: Tai Hung Fai Enterprise Co. Limited via Mott MacDonald Hong Kong Limited
- Wind load study for Hotel Development at 129-131 Temple Street, Jordan, Hong Kong SAR
Client: Top Ten (Far East) Corporation Limited via Albert Liu & Associates Limited

- Wind load study for Industrial Development at 77-85 Bedford Road, Tai Kok Tsui, Hong Kong
Client: K. Wah Estates Company Limited via Siu Yin Wai & Associates Limited
- Wind load study for Hotel Development at 19-23 Austin Avenue, Jordan, Hong Kong SAR
Client: Shun Ho Real Estate Limited via Andrew Lee King Fun & Associates Architects Limited and Meinhardt Consulting Engineers Limited
- Wind load study for Residential Development at 468-474 Sai Yeung Choi Street North, Shek Kip Mei, Hong Kong SAR
Client: Kowloon Development Company Limited via JMK Consulting Engineers Limited
- Wind load study for Commercial Development at 12-20 On Lan Street, Central, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for China Congregational Church at Leighton Road, Causeway Bay, Hong Kong SAR
Client: The China Congregational Church via JMK Consulting Engineers Limited
- Wind load study for Residential Development at 16-18 Bonham Road, Hong Kong SAR
Client: Queen Cheers Development Limited via Kenneth K.C. Chan & Associates Consulting Engineers
- Wind load study for Hotel Development at 372-378 Portland Street, Hong Kong SAR
Client: Smooth Asia Pacific Limited via T.K. Tsui & Associates Limited
- Wind load study for Residential and Commercial Development at Yuen Long CDA, Area 15, New Territories, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Residential Development at 147-159 Shau Kei Wan Road, Shau Kei Wan, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Commercial Development at 414 Kwun Tong Road, Kowloon, Hong Kong SAR
Client: Chiefast Investment Limited via Charter wealth Professional Limited

- Wind load study for Residential Development at 1 Castle Road, Hong Kong SAR
Client: VCC Land Limited via Greg Wong & Associates
- Pedestrian level wind comfort study for Mixed Development at Tseung Kwan O Town Area 56, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Residential Development at 1-21 Dundas Street, Mongkok, Hong Kong SAR
Client: Tai Hung Fai Enterprise Co. Limited via WMKY Limited
- Wind load study for Commercial Building at 1-23 Tang Lung Street, Hong Kong SAR
Client: Soundwill Holdings Limited via C M Wong & Associates Limited
- Wind load study for Hotel Development at 179 Prince Edward Road West, Mongkok, Hong Kong SAR
Client: Tai Hung Fai Enterprise Co. Limited via Mott MacDonald Hong Kong Limited
- Wind load study for Residential Development at 150-162 Belcher's Street, Sai Wan, Hong Kong SAR
Client: Kowloon Development Company Limited via JMK Consulting Engineers Limited
- Wind load study for Hotel Development at 338-346 Queen's Road West, Sai Wan, Hong Kong SAR
Client: Shun Ho Real Estate Limited via Andrew Lee King Fun & Associates Architects Limited
- Wind load study for Office Development at 49 King Yip Street, Kwun Tong, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Residential Development at 97 Belcher's Street & Catchick Street, Sai Wan, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Commercial Development at 15-21 Sharp Street East, Causeway Bay, Hong Kong SAR
Client: Trustful Engineering & Construction Co. Limited (Sun Hung Kai Properties Limited) via Wong & Cheng Consulting Engineers Limited

- Wind load study for Residential Development at 56C-84 Belcher's Street/North Street, Sai Wan, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Commercial Development at 35 Hung To Road, Kwun Tong, Hong Kong SAR
Client: Ho & Lam Consulting Engineers Limited
- Wind load study for Residential Development at 90-100 Hill Road, Sai Wan, Hong Kong SAR
Client: Far East Consortium International Limited via JMK Consulting Engineers Limited
- Wind load study for Hotel Development at 132-140 Bonham Strand, Sheung Wan, Hong Kong SAR
Client: Paliburg Development Consultants Limited via Ho & Lam Consulting Engineers Limited
- Wind load study for Hotel Development at 5-7 Bonham Strand West, Sheung Wan, Hong Kong SAR
Client: Paliburg Development Consultants Limited via Ho & Lam Consulting Engineers Limited
- Wind load and wind pressure studies for Residential Development at FSSTL 177, Sha Tau Kok Road, Fanling, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 25 Wong Nai Chung Road, Happy Valley, Hong Kong SAR
Client: Eton Properties Limited
- Wind load study for Residential Development at 110A and B Argyle Street, Mongkok, Hong Kong SAR
Client: Tai Hung Fai Enterprise Co. Limited via WMKY Limited
- Wind load study for Residential Development at 110-118 Second Street, Sai Ying Pun, Hong Kong SAR
Client: Phoenix Legend Limited via Greg Wong & Associates
- Wind load study for Hotel Development at 11-13 Eastern Street, Sai Ying Pun, Hong Kong SAR
Client: Konglink Limited via T.K. Tsui & Associates Limited
- Wind load study for Residential Development at 58-66 Boundary Street, Prince Edward, Hong Kong SAR
Client: Henderson Real Estate Agency Limited

- Wind load study for Commercial Development at 30-30A Stanley Street, Central, Hong Kong SAR
Client: Kensic Holding Limited via John S.K. Hau and Associates Limited
- Wind load study for Residential Development at 14-30 King Wah Road, North Point, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Commercial Development at 28-28A Stanley Street, Central, Hong Kong SAR
Client: Silkai Property Management Limited via C K LAU & Associates Limited and Kenneth K.C. Chan & Associates Consulting Engineers
- Wind load study for Hotel Extension at 23-45 Sharp Street East, Causeway Bay, Hong Kong SAR
Client: Sun Hung Kai Properties Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at 1-15 Lun Hing Street, Happy Valley, Hong Kong SAR
Client: K.A. Kho & Associates Architects & Consultants Limited
- Wind load study for Residential Development at 30-38 Po Tuck Street, San Wan, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Commercial Development at 16 Hart Avenue, Tsim Sha Tsui, Hong Kong SAR
Client: Chinachem Group
- Wind load study for Residential Development at 7-9 Ying Wa Terrace, Sai Ying Pun, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 8-18 Catchick Street, Kennedy Town, Hong Kong SAR
Client: Golden Chance Development Limited via Wong Pak Lam & Associates Consulting Engineers & Architects Limited
- Wind load study for Residential Development at 204-214 Tung Chau Street, Sham Shui Po, Hong Kong SAR
Client: Henderson Real Estate Agency Limited

- Wind load study for Hotel Development at 7 Moreton Terrace, Causeway Bay, Hong Kong SAR
Client: ITC Properties Management Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Commercial Development at 724-726 Nathan Road, Mongkok, Hong Kong SAR
Client: Wang On Group via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at 1-13 Kwai Heung Street, Sai Ying Pun, Hong Kong SAR
Client: Wang On Group via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at Tung Chung Area 55B, Tung Chung, Hong Kong SAR
Client: Nan Fung Group via Meinhardt Consulting Engineers Limited
- Wind load study for Residential Development at 1-11A San Wai Street, Hung Hom, Hong Kong SAR
Client: Far East Consortium International Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at 2-22 Tang Lung Street, Causeway Bay, Hong Kong SAR
Client: Choice Glory Limited via C K LAU & Associates Limited and T.K. Tsui & Associates Limited
- Wind load study for Hotel Development at 14-20 Merlin Street, North Point, Hong Kong SAR
Client: Paliburg Development Consultants Limited via Ho & Lam Consulting Engineers Limited
- Wind load and wind pressure studies for Commercial Development at 184-198 Wellington Street, Central, Hong Kong SAR
Client: Nan Fung Group via Chau, Ku & Leung Architects & Engineers, Limited and JMK Consulting Engineers Limited
- Wind load study for Residential Development at 102 Argyle Street, Mongkok, Hong Kong SAR
Client: Golden Elite Holdings Limited via Greg Wong & Associates
- Wind load study for Residential Development at 287-293 Sai Yeung Choi Street North, Shek Kip Mei, Hong Kong SAR
Client: Far East Consortium International Limited

- Wind load study for Residential Development at 48-50 Junction Road, Kowloon City, Hong Kong SAR
Client: Yu Tai Hing Company Limited via Kenneth K.C. Chan & Associates Consulting Engineers
- Wind load study for Residential Development at 33-39 Tung Lo Wan Road, Causeway Bay, Hong Kong SAR
Client: ITC Properties Management Limited via Wong & Cheng Consulting Engineers Limited
- Wind load and wind pressure studies for Redevelopments of Wing On Life Building and Wing On Building, Des Voeux Road Central, Central, Hong Kong SAR
Client: Chinachem Group via AECOM
- Wind load study for Commercial Developments at 76-82 Queen's Road Central, Central, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 54-60 Portland Street, Yau Ma Tei, Hong Kong SAR
Client: Emperor Group via Wong & Cheng Consulting Engineers Limited
- Wind load study for Hotel Development at 373 Queen's Road East, Wanchai, Hong Kong SAR
Client: Emperor Group via C M Wong & Associates Limited
- Wind load study for Residential Development at 12-22 Fuk Chak Street, Tai Kok Tsui, Hong Kong SAR
Client: Kowloon Development Company Limited via Wong Pak Lam & Associates Consulting Engineers & Architects Limited
- Wind load study for Residential Developments at 111-117 Bulkeley Street, Hung Hom, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Commercial Development at 17 Cheung Shun Street, Cheung Sha Wan, Hong Kong SAR
Client: Maxim's Group via C K LAU & Associates Limited and AECOM
- Wind load study for Residential Development at 186-188 Tai Po Road, Shum Shui Po, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 189-195 Sai Yueng Choi Street North/Boundary Street, Mong Kok, Hong Kong SAR
Client: Henderson Real Estate Agency Limited

- Wind load and wind pressure studies for Residential Development at 23 Tong Chong Street Quarry Bay, Hong Kong
Client: Swire Properties Limited via JMK Consulting Engineers Limited
- Wind load study for Residential Development at 1-7A Gordon Road, North Point, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 75-81 Sa Po Road, Kowloon City, Hong Kong SAR
Client: Henderson Real Estate Agency Limited via C M Wong & Associates Limited
- Wind load study for Commercial Development at 11-13 Sharp Street East, Causeway Bay, Hong Kong SAR
Client: Soundwill Holdings Limited via Arthur Yung and Associates Company Limited
- Wind load study for Hotel Development at 380 Prince Edward Road West, Kowloon City, Hong Kong SAR
Client: Yu Tai Hing Company Limited via Yung and Chan and Associates Limited
- Wind load study for Residential Development at 150 Aberdeen Main Road, Aberdeen, Hong Kong SAR
Client: Yu Tai Hing Company Limited via Yung and Chan and Associates Limited
- Wind load and wind pressure studies for Residential Development at 3 MacDonnell Road, Mid-levels, Hong Kong
Client: Chinachem Group via AECOM
- Wind load study for Residential Developments (K21 and K22) at Un Chau Street, Shum Shui Po, Hong Kong SAR
Client: Hong Kong Housing Society via Siu Yin Wai & Associates Limited
- Wind load study for Commercial Development at 2-6 Sha Tsui Road, Tsuen Wan, Hong Kong SAR
Client: K. Wah Estates Company Limited via Siu Yin Wai & Associates Limited
- Wind load study for Residential Development at 23-25 Robinson Road, Mid-Levels, Hong Kong SAR
Client: Henderson Real Estate Agency Limited via C M Wong & Associates Limited

- Wind load study for Commercial Development at 2-12 Observatory Road, Tsim Sha Tsui, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 186-198 Fuk Wing Street, Shum Shui Po, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 6-12 Maidstone Road, To Kwa Wan, Hong Kong SAR
Client: Yu Tai Hing Company Limited via Yung and Chan and Associates Limited
- Wind load study for Residential Development at 179-180 Connught Road West, San Wan, Hong Kong SAR
Client: Emperor Group via C M Wong & Associates Limited
- Wind pressure study for Apple Store at Hysan Place, Causeway Bay, Hong Kong SAR
Client: Apple Incorporation via Meinhardt Consulting Engineers Limited
- Wind pressure study for Lamp Posts at Lok Wo Shan, Wu Kai Sha, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential/Commercial Development at 565-577 Fuk Wa Street, Shum Shui Po, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 91-105 Parkes Street, Jordon, Hong Kong SAR
Client: Chuang's Group via Kenneth K.C. Chan & Associates Consulting Engineers
- Wind load study for Residential Development at 140-146 Camp Street, Sham Shui Po, Hong Kong SAR
Client: Wang On Group via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at 101-111 Wan Chai Road, Wanchai, Hong Kong SAR
Client: Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at 363-367 Shau Kei Wan Road/Aldrich Street, Shau Kei Wan, Hong Kong SAR
Client: Yu Tai Hing Company Limited via Yung and Chan and Associates Limited

- Wind load study for Residential Development at 11-29 Davis Street, San Wan, Hong Kong SAR
Client: Henderson Real Estate Agency Limited
- Wind load study for Residential Development at 14-18 Mosque Street, Mid-Levels, Hong Kong SAR
Client: Soundwill Holdings Limited via Meinhardt Consulting Engineers Limited
- Wind load study for Residential Development at 383-399 Shau Kei Wan Road, Shau Kei Wan, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Residential Development at 92-98 High Street, Sai Ying Pun, Hong Kong SAR
Client: Wheelock Properties (Hong Kong) Limited via JMK Consulting Engineers Limited
- Wind load study for Development at 23-25 D'Aguilar Street, Central, Hong Kong SAR
Client: Winpearl Enterprises Limited via K C Wong & Associates Limited
- Wind load study for Commercial Development at 40 & 40A Kimberley Road, Tsim Sha Tsui, Hong Kong SAR
Client: Spring Triumph Holdings Limited & Excel Shine Holdings Limited via K C Wong & Associates Limited
- Wind load study for Commercial Development at 60-66 Jardine's Bazaar, Causeway Bay, Hong Kong SAR
Client: T.K. Tsui & Associates Limited
- Wind load study for Residential Development at 48-56 Fuk Lo Tsun Road, Kowloon City, Hong Kong SAR
Client: Tak Wah Investment Limited via Ng Ka Wai & Associates Limited
- Wind load study for Hotel Development at 15-16 Connaught Road West, Sheung Wan, Hong Kong SAR
Client: New City Construction Company Limited via Meinhardt Consulting Engineers Limited
- Wind load study for Proposed Hotel Development at 51-57 Hennessy Road, Wanchai, Hong Kong SAR
Client: Yau Yue Land Development Company Limited via T.K. Tsui & Associates Limited

- Wind load study for Proposed Residential Development at 18-21 School Street, Causeway Bay, Hong Kong SAR
Client: Soundwill Holdings Limited via Arthur Yung and Associates Company Limited
- Wind load study for Commercial Development at 34 Wong Chuk Hang Road, Aberdeen, Hong Kong SAR
Client: K. Wah Real Estates Co. Limited via Siu Yin Wai & Associates Limited
- Wind load study for Hotel Development at 8A & 8B Wing Hing Street, North Point, Hong Kong SAR
Client: Sure Luck Development Limited via Greg Wong & Associates
- Wind load study for Residential Developments at 57 Kin Wah Street, North Point, Hong Kong SAR
Client: Soundwill Holdings Limited via AECOM
- Wind load study for Residential Development at TKO TL115, Tseng Kwan O, Hong Kong SAR
Client: K. Wah Real Estates Co. Limited via Siu Yin Wai & Associates Limited
- Wind load study for Commercial/Industrial Development at 93 Wai Yip Street, Kwun Tong, Hong Kong SAR
Client: Arthur Yung and Associates Company Limited
- Wind load study for Residential Development at 1-3 San Lau Street, Hung Hom, Hong Kong SAR
Client: K.A. Kho & Associates Architects & Consultants Limited
- Wind load study for Commercial at 82-100 Tak Cheong Street, Mongkok, Hong Kong SAR
Client: Champion Success Limited via Arthur Yung and Associates Company Limited
- Wind load study for Residential Development at 7 Ko Shan Road, Hung Hom, Hong Kong SAR
Client: Wing Tai Properties Limited via Meinhardt Consulting Engineers Limited
- Wind load study for Residential Development at 42-44 Chi Kiang Street, To Kwa Wan, Hong Kong SAR
Client: The Urban Renewal Authority via C K LAU & Associates Limited and Greg Wong & Associates

- Wind load study for Commercial Development at 30-32 Stanley Street, Central, Hong Kong SAR
Client: Kensic Holding Limited via John S.K. Hau and Associates Limited
- Wind load study for Hotel Development at 10-12 Kimberley Street, Tsim Sha Tsui, Hong Kong SAR
Client: Pacific Crown Enterprises Limited via Greg Wong & Associates
- Wind load study for Residential Development at 47-49 Perkins Road, Hong Kong SAR
Client: Imperial Time Limited via Meinhardt Consulting Engineers Limited
- Wind load study for Industrial Development at 16-18 Yip Shing Street, Kwai Chung, Hong Kong SAR
Client: R LEE Architects (HK) Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Industrial Development at 301-305 Castle Peak Road, Kwai Chung, Hong Kong SAR
Client: Soundwill Holdings Limited via Siu Yin Wai & Associates Limited
- Wind load study for URA Residential Development (K28) at Sai Yee Street, Mongkok, Hong Kong SAR
Client: New World Development Company Limited via C M Wong & Associates Limited
- Wind load study for Commercial Development at 85 Percival Street, Causeway Bay, Hong Kong SAR
Client: HK Finance Centre Limited via Ng Ka Wai & Associates Limited
- Wind load study for Hotel Development at 13-15 Mercury Street, North Point, Hong Kong SAR
Client: Treasure Wealth Properties Limited via P&T Architects and Engineers Limited
- Wind load study for Hotel Development at 11-15A Lin Fa Kung Street East, Causeway Bay, Hong Kong SAR
Client: Cornes World Co. Limited via JMK Consulting Engineers Limited
- Wind load study for Hotel Development at 11-13 Lin Fa Kung Street West, Causeway Bay, Hong Kong SAR
Client: Cornes World Co. Limited via JMK Consulting Engineers Limited

- Wind load study for Hotel Development at 7 Connaught Road West, Sheung Wan, Hong Kong SAR
Client: Winning Global Investments Limited via T S Wong & Associates Limited
- Wind load study for Residential Development at 1-11 Tang Fung Street, Aberdeen, Hong Kong SAR
Client: Kowloon Development Company Limited via David S.K. Au & Associates Ltd.
- Wind load study for Residential Development at Yuen Long Town Lot 513, Yuen Long, Hong Kong SAR
Client: K. Wah Estates Company Limited via Siu Yin Wai & Associates Limited
- Wind load study for Commercial Development at King Wah Road, North Point, Hong Kong SAR (Accepted by BD of HKSAR)
Client: Henderson Real Estate Agency Limited
- Wind load study for Commercial Development at 28-28B Stanley Street, Central, Hong Kong SAR
Client: Silkai Property Management Limited via C K LAU & Associates Limited and Kenneth K.C. Chan & Associates Consulting Engineers
- Wind load study for Residential Development at 11-33 Li Tak Street, Tai Kok Tsui, Hong Kong SAR
Client: Henderson Real Estate Agency Limited via Siu Yin Wai & Associates Limited
- Wind load study for Commercial Development at 650 Cheung Sha Wan Road, Cheung Sha Wan, Hong Kong SAR
Client: Ho & Lam Consulting Engineers Limited
- Wind load study for Hotel Development at 361-365 Queen's Road West, Sai Wan, Hong Kong SAR
Client: Redana Holdings Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Commercial/Hotel Development at 575 & 575A Nathan Road, Mongkok, Hong Kong SAR
Client: Wang On Group via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at Tuen Mun Town Lot 508, Tuen Mun, Hong Kong SAR
Client: Nan Fung Group via Greg Wong & Associates

- Wind pressure study for Apple Shop at 100 Canton Road, Tsim Sha Shui, Hong Kong SAR
Client: Apple Asia Limited via Foster + Partners
- Wind load study for Residential Development at Pokfulam Road, Mid-Level, Hong Kong SAR
Client: Kowloon Development Company Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Hotel Development at 23-25 Queen's Road West, Sai Wan, Hong Kong SAR
Client: AJI Ichiban Holding Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at 3-7 Wing Hing Street, North Point, Hong Kong SAR
Client: T.K. Tsui & Associates Limited
- Wind load study for Hotel Development at 10-12 Yat Fu Lane, Sai Ying Pun, Hong Kong SAR (Waiting for Comments)
Client: T.K. Tsui & Associates Limited
- Wind load study for Hotel Development at 11-13 Ko Shing Street, Sheung Wan, Hong Kong SAR
Client: Wise Trend Engineering Limited via TTC Consultants Limited
- Wind load study for URA Residential Development at 20-46 San Shan Road, To Kwa Wan, Hong Kong SAR
Client: Winstead Limited via Siu Yin Wai & Associates Limited
- Wind load study for Residential Development at 7-7G Victory Avenue, Mongkok, Hong Kong SAR
Client: Henderson Real Estate Agency Limited via Siu Yin Wai & Associates Limited
- Wind load study for Residential Development at Shatin Town Lot 604, Tai Wai, Hong Kong SAR
Client: Far East Consortium International Limited via T S Wong & Associates Limited
- Wind load study for Residential Development at 68-86 Wan Fung Street, Wang Tai Sin, Hong Kong SAR
Client: Far East Consortium International Limited via T S Wong & Associates Limited

- Wind load study for Residential Development at Shatin Town Lot 599, Ma On Shan, Hong Kong SAR
Client: Wang On Group via C M Wong & Associates Limited
- Wind load study for Hotel Extension at 72 Gloucester Road, Wan Chai, Hong Kong SAR
Client: The Yin Nin Savings Mortgage Loan & Land Investment Company Limited via Ho & Lam Consulting Engineers Limited
- Wind load study for Industrial Development at 680 Castle Peak Road, Cheung Sha Wan, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Residential Development at 1-17 Sai Yuen Lane, Sai Wan, Hong Kong SAR
Client: New World Development Company Limited via Parsons Brinckerhoff
- Wind load study for Composite Development at Tsuen Wan Town Lot 393, Yeung Uk Road, Tsuen Wan, Hong Kong SAR
Client: Billion Development and Project Management Limited via Siu Yin Wai & Associates Limited
- Wind load study for Residential Development at 48 Caine Road, Mid-Level, Hong Kong SAR
Client: Great Bonus Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Residential Development at 2-4 Yin Chong Street, Mongkok, Hong Kong SAR
Client: T.K. Tsui & Associates Limited
- Wind load study for Hotel Development at 182 Queen's Road Central, Sheung Wan, Hong Kong SAR
Client: Maple Design & Construction Co., Limited
- Wind load study for Hotel Development at 84-86 Wuhu Street, Hung Hom, Hong Kong SAR
Client: Yu Tai Hing Company Limited via Yung and Chan and Associates Limited
- Wind load study for Composite Development at 17-19 Yik Yam Street, Happy Valley, Hong Kong SAR
Client: T.K. Tsui & Associates Limited

- Wind load study for Residential Development at Shatin Area 36C, Shatin, Hong Kong SAR
Client: Hong Kong Housing Society via P&T Architects and Engineers Limited
- Wind load study for Composite Development at 165-167 Nam Cheong Street, Shum Shui Po, Hong Kong SAR
Client: Fulfill Wish Limited via T.K. Tsui & Associates Limited
- Wind load study for Residential Development at TMTL515 Tuen Mun, Hong Kong SAR
Client: Sun Hung Kai Properties Limited
- Wind load study for Composite Development at 18-24 Ko Shan Road, Hung Hom, Hong Kong SAR
Client: Next Apex Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Composite Development at 150-154 Queen's Road West, Sheung Wan, Hong Kong SAR
Client: T.K. Tsui & Associates Limited
- Wind load study for Commercial Development at KCTL 495, Kin Chuen Street, Kwai Chung, Hong Kong SAR
Client: Andrew Lee King Fun & Associates Architects Ltd. via C M Wong & Associates Limited
- Wind load study for Hotel Development at 25-27 Morrison Hill Road, Wanchai, Hong Kong SAR
Client: Crown Centre Development Limited via Wong & Cheng Consulting Engineers Limited
- Wind load study for Hotel Development at 41-43 Wong Chuk Hang Road, Wong Chuk Hang, Hong Kong SAR
Client: Ever Success Holdings Limited via JMK Consulting Engineers Limited
- Wind load study for Composite Redevelopment at 29-31 Argyle Street, Mongkok, Hong Kong SAR
Client: Handi Architects Limited via JMK Consulting Engineers Limited
- Wind load study for Residential Development at Kai Tak Area 11-Site 2, Hong Kong SAR
Client: K. Wah International Holdings Limited via C M Wong & Associates Limited